

# AC EV CHARGING EXTENSION CORD

TESLA NACS XCT-01

3.5KW


7KW

11KW

9KW

22KW

## SPECIFICATIONS

TESLA NACS	Rated voltage	Rated current	Rated power	Model NO.
	AC110-240V	16A	3.5KW	SP-EV-XCT-01-AC16
		32A	7KW	SP-EV-XCT-01-AC32
		40A	9KW	SP-EV-XCT-01-AC40
		48A	11KW	SP-EV-XCT-01-AC48
		80A	22KW	SP-EV-XCT-01-AC80

## FEATURE

Cable specification:	16A - 3.5KW - 3x12AWG+2x18AWG 32A - 7KW - 3x10AWG+2x18AWG 40A - 9KW - 2x9AWG+1x10AWG+2x18AWG 48A - 11KW - 2x8AWG+1x10AWG+2x18AWG 80A - 22KW - 2x5AWG+1x6AWG+2x18AWG
Mechanical life:	No-load plug in / pull out > 10,000 times
Plug dimensions:	L220 x W65 x H64 (mm)
Protection rank:	IP55
Work temperature:	-30°C~+50°C
Materials:	PC + ABS
Case material:	Thermoplastic(flame retardant grade UL94-0)

## CUSTOMIZATION

Cable length:	5m / 7m / 10m
Logo printing:	Laser



### Multiple protection

High temperature, over voltage, under voltage, ground, over current, leakage protection.



### Dust Proof

Dust proof cap made by silicon, attached on tail

