





PRODUCT NAME:
TYPE 1 TO TESLA ADAPTER

APPLICATION:
Type 1 to Tesla Adapter is an American Standard to NACS AC charging adapter



- 1 J1772 Plug
- 2 American Standard Nacs Plug

**COMPATIBILITY:**

Tesla Model 3, Y, S, X For Level 1 Level 2 charging stations, with our adapter.

CAUTIONS:

- It's not a toy, keep away from your children.
- Clean only with dry cloth.
- Avoid dismantling, dropping or heavy impact.

STORAGE AND MAINTENANCE:

- Store the adapter in a cool, dry place.
- Regularly inspect the adapter for any signs of wear or damage.
- Clean the adapter with a dry cloth; do not use water or solvents.

WARRANTY:

- This product includes a 1-year warranty.
- In case of misuse, mishandling, negligence, vehicle accidents or modifications, the warranty will be voided. Our warranty only covers manufacturing defects.


SPECIFICATIONS:

- Current: Max. 80A
- Operating voltage: 110V ~ 250V AC
- Insulation resistance: >1,000mΩ
- Contact resistance: <5mΩ
- Flame retardant grade: UL94-V0
- Operating temperature: -30°C ~ 50°C
- Pins: Copper alloy, silver plated
- Service life: >10,000 times
- Sealing gasket: Silicon rubber
- Storage temperature: -40°C ~ +85°C
- Housing: Plastic
- Protection grade: IP54

Protection from dirt, dust, oil, and other non-corrosive material. Complete protection from contact with enclosed equipment. Protection from water, up to water projected by a nozzle against enclosure from any direction.

TRAVEL STORAGE CASE:

- The protect case provide full protection.
- Type 1 to Tesla adapter storage case is made of solid carton paper, which is shockproof and dust resistance, skid-proof, against impact.



Length: 127mm, width: 94mm, height: 69mm.

CONVENIENCE:

- Portable and charge with ease.
- Compact design for easy storage in your vehicle, compact NACS charger adapter designed to connect the SAE J1772 chargers to your Tesla vehicle, accessing many more charging points for a convenient on-the-road experience.

HOW TO USE:

Simply plug your Type 1 to Tesla Plug into the charging station first, and then into your Tesla. To remove it from your vehicle, simply authorize it from your car or your phone.