





ECN					
REV	MARK	Reasons for change	Change content	Name	Date
A		First Release		TFR	2024.08.19




NACS-EX Vehicle Connector wiring diagram




NACS Vehicle Connector wiring diagram



View A Sticker



View B



Technical Requirement:

- Product description: It meets the design and test requirements of SAE J1772-2010 or IEC 62196-2017; Control box meets the design and test requirements of IEC 61851-2017
- Product performance: Voltage rating 240V
Current rating 48A
Dielectric Withstanding Voltage >2500V
- Appearance of the product: No oil stain, burr or other defects affecting the function of the product are found on the surface of the product.
- Resistance: R6, 150Ω; R7, 330Ω;
- Control dimension: The dimension marked is the key dimension, which needs to be controlled.
- Environmental protection requirements: products meet RoHS requirements;

Customer signature:



SPvolt EV Charging Cable Co.Ltd	
info@spvolt.com	
Name:	NACS Vehicle Connector
Part number:	
Draw number:	YT4-XC-YCX-01

Approval	Check	Design		-Unnoted tolerance-	
				X	±0.30
				X.X	±0.20
				X.XX	±0.10
			Angle	±1°	
Unit: mm			Scale:	Material:	Weight:
Sheet: A4			Page:		